09/196,013

	Document ID	D Issue Date	Pages	Title	Current OR	Current XRef
	US 6157396 A	20001205	. 92	System and method for using bitstream information to process images for	345/506	345/202
				use in digital display		
2	US 6157374 A	. 20001205	16	Graphics display system and method for providing internally timed time-varying properties	345/203	m \ \ \
				of_display_attributes	•	
3	US 6154225 A	20001128	14	Virtual refresh.TM. architecture for a video-graphics controller	345/519	2/
	US 6151074 A	. 20001121	9	Integrated MPEG decoder and image resizer for SLM-based digital display system	348/425.1	345/127 ; 345/154 ; 345/202 ; 348/443 ; 348/458 ; 348/581
r)	US 6145950 A	20001114	41	User interface, printing system using user interface and print control method	347/15	
				Image forming apparatus including means for warning an operator of a		
v	US 6144835 A	20001107	20	potential illegal copying operation before the copying operation and	399/366	, 399/81
				method of controlling		

Page 1 (FNguyen, 12/13/2000, EAST Version: 1.01.0015)

6134606 A			[[
	,		System/method for controlling parameters in hand-held digital camera		5
	20001017	23	with selectable parameter scripts, and with command for retrieving	710/14	; 703/27 ; 709/228 ; 710/10 ; 710/8
•			camera capabilities and associated permissible		
6118480 A	20000912	20	parameter vaiues Method and apparatus for integrating a digital camera user interface	348/207	
			across multiple		
6118500 A	20000912	o	DRAM bit-plane buffer for digital display system	348/771	345/84 ; 348/792
			ocessing appar		358/448 ; 358/452 ; 382/295
6115510 A	20000905	30	or dispiaying rmed on	382/309	ر ۱ ۷
	•		sheet		<u>'</u>
6115084 A	20000905	36	Projection-type display apparatus	348/792	345/100 ; 345/204 ; 348/751
6108053 A	20000822	10	Method of calibrating a color wheel system having a clear segment	348/743	348/180
	4 4 4		20000905	Image processing apparat capable of displaying im to be formed on sheet 20000905 36	Image processing apparatus capable of displaying image to be formed on sheet sheet Projection-type display apparatus Method of calibrating a color wheel system having a clear segment

	Document	ΩI:	Issue Date	Pages	Title	Current OR	Current XRef
.33	US 6108098	. A 8	20000822	. 54	Image processing apparatus and method	358/1.14	58/ 35/ 35/ 38/ 38/
14	US 6101038	8 A	20000808	33	Infrared audio/video interface for head-mounted display	359/618	345/30 ; 345/59 ; 345/8 ; 359/630 ; 359/646 ; 359/709
[5	US 6101272	2 A	20000808	37	ransforming	382/167	358/520
9]	US 6095653	3 A	20000801	35	ction-type di atus	353/33	353/81
17	US 6097352	2 A	20000801	44	Color sequential display panels	345/7	345/8
18	US 6078317	7 A	20000620	11	Display device, and display control method and apparatus therefor	345/204	
19	US 6072457	7 A	20000606	42	Display and its driving method	345/100	5/
5.0	US 6054832	2 A	20000425	10	Electronically programmable color wheel	318/600	318/599 ; 318/799 ; 318/806 ; 348/271 ; 348/743 ; 353/84 ; 388/811
21	US 6020920	- A 0	20000201	27	Method and system for speculative decompression of compressed image data in an image capture unit	348/222	348/220 ; 348/231

	ď	Document ID	Issue Date	Pages	Title	Current OR	Current XRef
22	Sn	6008820 A	19991228	70	Processor for controlling the display of rendered image layers and	345/502	
					method for controlling		
23	ns	6005673 A	19991221	28	Facsimile machine and facsimile communication system	358/434	8/43
24	ns	5999227 A	19991207	9	Special features for digital television	348/564	48/
25	SU	5990982 A	19991123	15	DMD-based projector for institutional use	348/750	8/44 348/ 348/ 348/
5 6	ns	5987167 A	19991116	16	Color image display method and apparatus	382/167	787 782 782 786
27	ns	5977942 A	19991102		exed ial	345/97	345/102 ; 345/88
28	ns	5977977 A	19991102		Method and system for multi-pass rendering	345/418	
29	SU	5937232 A	19990810		Image forming apparatus with display device for displaying before and	399/81	399/182
					after image processing		
30	SD	5933578 A	19990803		Method and device for determining the color appearance of color	358/1.9	101/23 ; 345/431 ; 430/358 ; 430/359
31	ns	5933257 A	19990803		g appar storing	atus medium 358/527	358/530

	Document ID	Issue Date	Pages	Title	Current OR	Current XRef
32	US 5933137 A	19990803		Method and system for acclerating a user interface of an image capture	345/328	358/909.1
33	US 5909944 A	19990608		unit during play mode Projection-type display apparatus	353/81	353/33 ; 359/831
34	US 5910796 A	19990608		Monitor gamma determination and correction	345/153	348/674 ; 358/519
35	US 5905540 A	19990518		Projection-type display apparatus	348/674	348/751
36	US 5889596 A	19990330		Controlling a reading unit of an image processing apparatus	358/448	358/498
37	US 5877819 A	19990302		Managing information in an endoscopy system	348/701	348/620
38	US 5877802 A	19990302		Video-signal processing device connectable to an electronic endoscope	348/71	128/908 ; 348/589 ; 348/600 ; 348/74 ; 600/134
39	US 5871439 A	19990216		Endoscope system transmitting a magnification ratio to an external	600/118	348/74
40	US 5870097 A	19990209		Method and system for improving shadowing in a graphics rendering system	345/426	345/422 ; 345/431 ; 345/432
41	US 5867166 A	19990202		Method and system for generating images using Gsprites	345/419	345/433 ; 345/436 ; 345/473
42	US 5867611 A	19990202		Digital copier	382/284	358/450 ; 358/452 ; 358/453

						•
	Document ID	Issue Date	Pages	Title	Current OR	Curre
43	US 5864634 A	19990126		Image processing apparatus and method	382/167	8/52 358/ 358/
44	US 5864342 A	19990126		Method and system for rendering graphical objects to image chunks	345/418	345/426 ; 345/427 ; 345/430 ; 345/431 ; 345/431 ; 345/501 ; 345/507
45	US 5856876 A	19990105		Image processing apparatus and method with gradation characteristic	358/300	58/51 358/
46	US 5833360 A	19981110		High efficiency lamp apparatus for producing a beam of polarized light	362/293	313/112 ; 313/113 ; 313/234 ; 313/584 ; 362/19 ; 362/263 ; 362/298
47	US 5831638 A	19981103		Graphics display system and method for providing internally timed time-varying properties of display attributes	345/501	345/203 ; 345/509 ; 345/515 ; 348/51 ; 348/593
48	US 5821913 A	19981013		Method of color image enlargement in which each RGB subpixel is given a specific brightness weight on the liquid crystal	345/88	/13 15/ 58/
49	US 5808464 A	19980915		Oscilloscope having video signal input	324/121R	348/185 ; 702/67

	Document ID	Issue Date	Pages	Title	Current OR	Current XRef
50	US 5806072 A	19980908		Electronic imaging apparatus having hierarchical image data storage	707/200	348/231 ; 348/232 ; 707/100
				structure for computer-compatible image data management		
51	US 5793885 A	19980811		Computationally efficient low-artifact system for spatially filtering	382/167	382/263
				digital color images		
5.5	US 5754682 A	19980519		re processing method and	382/162	48/227 348/6 358/5
)				apparatus		; 358/518 ; 382/167
						45/199
						; 345/508 ; 358/298
				Tone correction for	•	358/42
53	US 5754309 A	19980519	*	i-level half	358/456	358/45
						358/53
						358/53
						358/53
54	US 5748342 A	19980505		Image processing apparatus and method	358/500	358/504 ; 358/523 ; 358/527
55	US 5748250 A	19980505		Video display system with digital de-interlacing	348/451	348/452
56	US 5743610 A	19980428		ojection-type displ paratus	353/31	353/33 ; 353/81 : 359/834
57	US 5740801 A	19980421		Managing information in an endoscopy system	600/407	28/920 128/92

	Document ID	Issue Date	Pages	Title	Current OR	Current XRef
58	US 5739850 A	19980414		Apparatus for improving the image and sound processing capabilities of a	348/231	348/232 ; 348/233 ; 358/909.1
ري ص	US 5737032 A	19980407		Serial digital video processing with concurrent adjustment in RGB and luminance/color	348/649	10
09	US 5734362 A	19980331		control for liquid splays	345/89	345/14/ ; 345/153 ; 345/87
61	US 5729245 A	19980317		Alignment for display having multiple spatial light modulators	345/84	348/755
62	US 5703696 A	19971230		Image memory apparatus	358/404	358/444
63	US 5673059 A	19970930		Head-mounted display apparatus with color sequential illumination	345/8	348/53
64	US 5668572 A	19970916		Color temperature compensation for digital display system with color wheel	345/150	348/655 ; 348/742 ; 348/743
65	US 5659386 A	19970819		Image recording apparatus with means for independently designating a	399/194	399/39
99	US 5642129 A	19970624		Color sequential display panels	345/100	345/88 ; 345/92 ; 345/98

	Document ID	Issue Date	Pages	Title	Current OR	Current XRef
67	US 5598184 A	19970128		Method and apparatus for improved color recovery in a computer graphics	345/149	345/136 ; 345/150
89	US 5563725 A	19961008		Color image processing apparatus for processing image data based on a display characteristic	358/518	345/150 ; 358/519
69	US 5559530 A	19960924			345/136	5/23 345/ 382/
70	US 5539459 A	19960723		l tone scale map onic cameras	348/254	348/675 ; 358/519
71	US 5530482 A	19960625		Pixel data processing for spatial light modulator having staggered pixels	348/441	348/448 ; 348/771
72	US 5528339 A	19960618		Color image reproduction of scenes with color enhancement and preferential tone	355/32	
73	US 5528257 A	19960618		Display device	345/99	345/94
74	US 5506617 A	19960409		Electronic camera incorporating a computer-compatible bus interface	348/207	348/552
75	US 5496106 A	19960305			348/255	348/256 ; 348/678 ; 348/679

	Document ID	Issue Date	Pages	Title	Current OR	Current XRef
92	US 5477858 A	19951226		Ultrasound blood flow/tissue imaging system	600/441	333/138 ; 600/455 ; 73/626
77	US H001506 H	19951205		user pale	345/431	345/186
78	US 5416890 A	19950516		al user interi ing color gar J	345/431	345/440
79	US 5408342 A	19950418		Color image processing apparatus, method, and printer driver.	358/518	358/519
8 0	US 5402170 A	19950328		Hand-manipulated electronic camera tethered to a personal computer	348/211	348
81	US 5303064 A	19940412		Image scanner with calibration mechanism to obtain full dynamic range and compensated linear output	358/406	358/479 ; 358/483 ; 358/504 ; 358/512 ; 358/513 ; 358/520
82	US 5298915 A	19940329		System and method for producing a palette of many colors on a display screen having digitally-commanded pixels	345/149	5/15
83	US 5227863 A	19930713		Programmable digital video processing system	348/578	345/302 ; 345/328 ; 348/581 ; 348/585 ; 348/588 ; 348/595 ; 348/597 ; 348/721

	Document ID	Issue Date	Pages	Title	Current OR	Current XRef
4	US 5122783 A	19920616		System and method for blinking digitally-commanded pixels of a display	345/88	345/136 ; 345/147 ; 345/148 ; 345/152
				screen to produce a palette of many colors		, 345/153

				E e	200	Time Stamp
	Type	#	Hits	Search Text	UBS	Time Stant
1	BRS	L1	1154	LCD AND RGB	USPAT	2000/12/13 08:08
2	BRS	1.2	2339	GAMMA ADJ CORRECTION	USPAT	2000/12/13 08:08
3	BRS	L3	735	TRANSMITTANCE ADJ CHARACTERISTICS	USPAT	2000/12/13 08:10
4	BRS	L4	225	TRANSMITTANCE NEAR CONTROL	USPAT	2000/12/13 08:10
5	BRS	L5	7491	DRIVING ADJ VOLTAGE	USPAT	2000/12/13 08:11
9	BRS	T.6	0	1 AND 2 AND 3 AND 4 AND 5	USPAT	2000/12/13 08:11
7	BRS		0	1 AND 2 AND 5	USPAT	2000/12/13 08:11
ω	BRS	1.9	0	5 AND 8	USPAT	2000/12/13 08:12
<u></u>	BRS		84	1 AND 2	USPAT	2000/12/13 08:12
	***************************************	***************************************				